

Fun With Math

Which is faster - hot or cold?

$$\begin{array}{r} 3 \\ - 3 \\ \hline \end{array}$$

A

$$\begin{array}{r} 6 \\ - 1 \\ \hline \end{array}$$

Y

$$\begin{array}{r} 10 \\ - 3 \\ \hline \end{array}$$

H

$$\begin{array}{r} 15 \\ - 7 \\ \hline \end{array}$$

D

$$\begin{array}{r} 17 \\ - 1 \\ \hline \end{array}$$

L

$$\begin{array}{r} 12 \\ - 6 \\ \hline \end{array}$$

O

$$\begin{array}{r} 18 \\ - 3 \\ \hline \end{array}$$

E

$$\begin{array}{r} 19 \\ - 0 \\ \hline \end{array}$$

C

$$\begin{array}{r} 20 \\ - 3 \\ \hline \end{array}$$

T

$$\begin{array}{r} 19 \\ - 1 \\ \hline \end{array}$$

S

Solve the riddle by using the answers from above

7 6 17 15 0 18 17 17 6

19 0 17 19 7 19 6 16 8



Answer Key

Which is faster - hot or cold?

$$\begin{array}{r} 3 \\ - 3 \\ \hline 0 \end{array}$$

A

$$\begin{array}{r} 6 \\ - 1 \\ \hline 5 \end{array}$$

Y

$$\begin{array}{r} 10 \\ - 3 \\ \hline 7 \end{array}$$

H

$$\begin{array}{r} 15 \\ - 7 \\ \hline 8 \end{array}$$

D

$$\begin{array}{r} 17 \\ - 1 \\ \hline 16 \end{array}$$

L

$$\begin{array}{r} 12 \\ - 6 \\ \hline 6 \end{array}$$

O

$$\begin{array}{r} 18 \\ - 3 \\ \hline 15 \end{array}$$

E

$$\begin{array}{r} 19 \\ - 0 \\ \hline 19 \end{array}$$

C

$$\begin{array}{r} 20 \\ - 3 \\ \hline 17 \end{array}$$

T

$$\begin{array}{r} 19 \\ - 1 \\ \hline 18 \end{array}$$

S

Solve the riddle by using the answers from above

| | | | | | | | | | |
|----------|----------|----------|---|----------|----------|----------|----------|----------|----------|
| <u>H</u> | <u>O</u> | <u>T</u> | . | <u>E</u> | <u>A</u> | <u>S</u> | <u>Y</u> | <u>T</u> | <u>O</u> |
| 7 | 6 | 17 | | 15 | 0 | 18 | 17 | 17 | 6 |
| <u>C</u> | <u>A</u> | <u>T</u> | | <u>C</u> | <u>H</u> | <u>C</u> | <u>O</u> | <u>L</u> | <u>D</u> |
| 19 | 0 | 17 | | 19 | 7 | 19 | 6 | 16 | 8 |

